




Miseryguts Gel List Thu Oct 17 2013



Sun Colour Straw

Adds warmth, bright sunlight.

Transmission Y	82.3 %
x	0.465
y	0.426
Absorption	0.08

Tungsten: Colour Temperature 3200K

Created by David Hersey as a part of LEE Designer Series.

ROLLS

1" Core 7.62m x 1.22m (25' x 48")

2" Core 7.62m x 1.22m (25' x 48")

Quick Roll Up to 1.17m (46") x 7.62m (25') long.

SHEETS

Full Sheet 1.22m x 0.53m (48" x 21")

Half Sheet 0.61m x 0.53m (24" x 21")

764



Dirty White

Correct a daylight source to an off white tungsten source. Used with a tungsten source provides a "dingy" effect like a smoky bar.

Transmission Y	62.1 %
x	0.507
y	0.423
Absorption	0.21

Tungsten: Colour Temperature 3200K

Created by Dave Davey as a part of LEE Designer Series.

ROLLS

1" Core 7.62m x 1.22m (25' x 48")

2" Core 7.62m x 1.22m (25' x 48")


Quick Roll Up to 1.17m (46") x 7.62m (25') long.

SHEETS

Full Sheet 1.22m x 0.53m (48" x 21")

Half Sheet 0.61m x 0.53m (24" x 21")

744



Quarter C.T. Blue

Converts tungsten (3200K) to daylight (3600K).

Transmission Y	70.5 %
x	0.398
y	0.39
Absorption	0.15

Tungsten: Colour Temperature 3200K

Accurate and consistent colour from batch to batch.

ROLLS

1" Core 7.62m x 1.22m (25' x 48")

2" Core 7.62m x 1.22m (25' x 48")

Quick Roll Up to 1.17m (46") x 7.62m (25') long.

SHEETS

Full Sheet 1.22m x 0.53m (48" x 21")

Half Sheet 0.61m x 0.53m (24" x 21")

203

LEE Yellow

Useful for producing a strong sunlight effect.

Transmission Y	83.5 %
x	0.478
y	0.44
Absorption	0.08

Tungsten: Colour Temperature 3200K

Created by Jesper Kongshaug as a part of LEE Designer Series.

ROLLS

1" Core 7.62m x 1.22m (25' x 48")

2" Core 7.62m x 1.22m (25' x 48")

Quick Roll Up to 1.17m (46") x 7.62m (25') long.

SHEETS

Full Sheet 1.22m x 0.53m (48" x 21")

Half Sheet 0.61m x 0.53m (24" x 21")

765

Cool LED Apricot

LED Filter CL147 on a Cool White LED (>6000K) gives a visual colour match to existing filter 147 Apricot on Tungsten (3200K).

Transmission Y	33.8 %
x	0.604
y	0.374
Absorption	0.47

Tungsten: Colour Temperature 3200K

Accurate and consistent colour from batch to batch.

ROLLS

1" Core 7.62m x 1.22m (25' x 48")

2" Core 7.62m x 1.22m (25' x 48")

Quick Roll Up to 1.17m (46") x 7.62m (25') long.

SHEETS

Full Sheet 1.22m x 0.53m (48" x 21")

Half Sheet 0.61m x 0.53m (24" x 21")

CL147

Half C.T. Blue

Converts tungsten (3200K) to daylight (4300K).

Transmission Y	53.2 %
x	0.372
y	0.374
Absorption	0.27

Tungsten: Colour Temperature 3200K

Accurate and consistent colour from batch to batch.

ROLLS

1" Core 7.62m x 1.22m (25' x 48")

2" Core 7.62m x 1.22m (25' x 48")

Quick Roll Up to 1.17m (46") x 7.62m (25') long.

SHEETS

Full Sheet 1.22m x 0.53m (48" x 21")

Half Sheet 0.61m x 0.53m (24" x 21")

202