

Patch Master - IN LINE WITH LX PLAN VERSION 2

Burial At Thebes @New Athenaeum Theatre, The Royal Conservatoire of Scotland, Glasgow

Designer – Benny Goodman

PLX – Gary Ashbridge

Lighting Crew – Stephen Keenan, Reece Flynn and Euan Odd (Board Operator - GrandMA1)

Channel	Dimmer	Address	Instrument Type	Wattage	Color	Position	Notes	Purpose	Accessory
61	30	I.DimNo	ETC Source4 Fresnel	750	L728	First Circle		Front light	Col Frame + Barn Doors
62	31	I.DimNo	ETC Source4 Fresnel	750	L603	First Circle		Front light	Col Frame + Barn Doors
63	32	I.DimNo	ETC Source4 Fresnel	750	L020	First Circle		Front light	Col Frame + Barn Doors
64	36	I.DimNo	ETC Source4 Fresnel	750	L020	First Circle		Front light	Col Frame + Barn Doors
65	35	I.DimNo	ETC Source4 Fresnel	750	L603	First Circle		Front light	Col Frame + Barn Doors
66	34	I.DimNo	ETC Source4 Fresnel	750	L728	First Circle		Front light	Col Frame + Barn Doors
602	HOT	2.320	ETC Source4 Lustr+	168	L253	FOH L 1st Circle Boom	10 Channel Direct mode. Incandescent curve.	Front light	Twist boom arm + Col frame
604	HOT	2.340	ETC Source4 Lustr+	168	L253	FOH L 2nd Circle Boom	10 Channel Direct mode. Incandescent curve.	Front light	Twist boom arm + Col frame
600	HOT	2.300	ETC Source4 Lustr+	168	L253	FOH L Boom Stalls	10 Channel Direct mode. Incandescent curve.	Front light	Twist boom arm + Col frame
603	HOT	2.330	ETC Source4 Lustr+	168	L253	FOH R 1st Circle Boom	10 Channel Direct mode. Incandescent curve.	Front light	Twist boom arm + Col frame
605	HOT	2.350	ETC Source4 Lustr+	168	L253	FOH R 2nd Circle Boom	10 Channel Direct mode. Incandescent curve.	Front light	Twist boom arm + Col frame
601	HOT	2.310	ETC Source4 Lustr+	168	L253	FOH R Boom Stalls	10 Channel Direct mode. Incandescent curve.	Front light	Twist boom arm + Col frame
1	8	I.DimNo	ETC Source4 19 Degree	750	L063	Gods		Front light	Col Frame
2	7	I.DimNo	ETC Source4 19 Degree	750	L103	Gods		Front light	Col Frame

Channel	Dimmer	Address	Instrument Type	Wattage	Color	Position	Notes	Purpose	Accessory
3	6	I.DimNo	ETC Source4 19 Degree	750	L063	Gods		Front light	Col Frame
4	5	I.DimNo	ETC Source4 19 Degree	750	L103	Gods		Front light	Col Frame
5	4	I.DimNo	ETC Source4 19 Degree	750	L063	Gods		Front light	Col Frame
6	3	I.DimNo	ETC Source4 19 Degree	750	L103	Gods		Front light	Col Frame
20	37	I.DimNo	ETC Source4 36 Degree	750	L728	LXI		Top light Green	Col Frame
21	38	I.DimNo	ETC Source4 36 Degree	750		LXI		Top light	
22	39	I.DimNo	ETC Source4 36 Degree	750		LXI		Top light	
23	40	I.DimNo	ETC Source4 36 Degree	750	L728	LXI		Top light Green	Col Frame
26	41	I.DimNo	ETC Source4 36 Degree	750	L728	LXI		Pillars Green	Col Frame
74	42	I.DimNo	ETC Source4 50 Degree	750		LXI		Top light	
80	43	I.DimNo	ETC Source4 Fresnel	750	L174	LXI		front light cool	Col Frame + Barn Doors
81	44	I.DimNo	ETC Source4 Fresnel	750		LXI		Front light	Barn Doors
82	45	I.DimNo	ETC Source4 Fresnel	750		LXI		Front light	Barn Doors
83	46	I.DimNo	ETC Source4 Fresnel	750	L174	LXI		Front light cool	Col Frame + Barn Doors
84	47	I.DimNo	ETC Source4 Fresnel	750		LXI		Top light	Barn Doors
85	48	I.DimNo	ETC Source4 Fresnel	750	L174	LXI		Top light	Col Frame + Barn Doors
300	HOT	2.100	Varilite 1000 TSD	1380		LXI		Intelligent lighting	
301	HOT	2.150	Varilite 1000 TSD	1380		LXI		Intelligent lighting	
24	49	I.DimNo	ETC Source4 36 Degree	750		LX2		Back light	
25	50	I.DimNo	ETC Source4 36 Degree	750		LX2		Back light	
27	51	I.DimNo	ETC Source4 36 Degree	750	L063	LX2		Pillars cool	Col Frame

Channel	Dimmer	Address	Instrument Type	Wattage	Color	Position	Notes	Purpose	Accessory
40	53	I.DimNo	ETC Source4 Fresnel	750	L728	LX2		Top light	Col Frame + Barn Doors
41	54	I.DimNo	ETC Source4 Fresnel	750		LX2		Top light	Barn Doors
48	55	I.DimNo	ETC Source4 Fresnel	750		LX2		Top light	Barn Doors
49	56	I.DimNo	ETC Source4 Fresnel	750		LX2		Back light	Barn Doors
73	52	I.DimNo	ETC Source4 50 Degree	750	L103	LX2		Back light	Col Frame
86	109	I.DimNo	ETC Source4 Fresnel	750	L728	LX2		Back light	Col Frame + Barn Doors
87	207	I.DimNo	ETC Source4 Fresnel	750	L728	LX2		Back light Green	Col Frame + Barn Doors
28	57	I.DimNo	ETC Source4 36 Degree	750	L728	LX3		Pillars Green	Col Frame
33	58	I.DimNo	ETC Source4 36 Degree	750		LX3		Platform	
46	61	I.DimNo	ETC Source4 Fresnel	750		LX3		Backlight	Barn Doors
47	62	I.DimNo	ETC Source4 Fresnel	750	L728	LX3		Backlight Green	Col Frame + Barn Doors
71	59	I.DimNo	ETC Source4 50 Degree	750	L103	LX3		Platform	Col Frame
72	60	I.DimNo	ETC Source4 50 Degree	750	L200	LX3		Platform	Col Frame
88	71	I.DimNo	ETC Source4 Fresnel	750		LX3		Backlight	Barn Doors
89	72	I.DimNo	ETC Source4 Fresnel	750		LX3		Backlight	Barn Doors
90	110	I.DimNo	ETC Source4 Fresnel	750		LX3		Backlight	Barn Doors
91	210	I.DimNo	ETC Source4 Fresnel	750		LX3		Backlight	Barn Doors
302	HOT	2.200	Varilite 1000 TSD	1380		LX3		Intelligent lighting	
42	65	I.DimNo	ETC Source4 Fresnel	750	L728	LX4		Backlight Green	Col Frame + Barn Doors
43	66	I.DimNo	ETC Source4 Fresnel	750		LX4		Backlight	Barn Doors
44	67	I.DimNo	ETC Source4 Fresnel	750	L728	LX4		Backlight Green	Col Frame + Barn Doors

Channel	Dimmer	Address	Instrument Type	Wattage	Color	Position	Notes	Purpose	Accessory
45	68	I.DimNo	ETC Source4 Fresnel	750		LX4		Backlight	Barn Doors
303	HOT	2.250	Varilite 1000 TSD	1380		LX4		Intelligent lighting	
31	70	I.DimNo	ETC Source4 36 Degree	750		LX5		Platform door	
32	69	I.DimNo	ETC Source4 36 Degree	750		LX5		Backlight	
29	73	I.DimNo	ETC Source4 36 Degree	750	L063	LX6		Backlight cool	Col Frame
30	74	I.DimNo	ETC Source4 36 Degree	750		LX6		Backlight door	
70	75	I.DimNo	ETC Source4 50 Degree	750	L200	LX6		Platofrm	Col Frame
58	76	I.DimNo	Parcan 64	1000	L103	LX7	CP62	Backlight door	Col Frame
59	112	I.DimNo	Parcan 64	1000	L728	LX7	CP62	Backlight door	Col Frame
60	211	I.DimNo	Parcan 64	1000	L020	LX7	CP62	Backlight door	Col Frame
500	157	I.DimNo	Desk lamp	40		Onstage		Practical	
501	158	I.DimNo	Desk lamp	40		Onstage		Practical	
502	159	I.DimNo	Desk lamp	40		Onstage		Practical	
503	145	I.DimNo	Desk lamp	40		Onstage		Practical	
504	146	I.DimNo	Desk lamp	40		Onstage		Practical	
505	147	I.DimNo	Desk lamp	40		Onstage		Practical	
7	28	I.DimNo	ETC Source4 19 Degree	750	L063	Second Circle		Front light	Col Frame
8	108	I.DimNo	ETC Source4 19 Degree	750	L103	Second Circle		Front light	Col Frame
9	27	I.DimNo	ETC Source4 19 Degree	750	L063	Second Circle		Front light	Col Frame
10	107	I.DimNo	ETC Source4 19 Degree	750	L103	Second Circle		Front light	Col Frame
11	26	I.DimNo	ETC Source4 19 Degree	750	L063	Second Circle		Front light	Col Frame

Channel	Dimmer	Address	Instrument Type	Wattage	Color	Position	Notes	Purpose	Accessory
12	106	I.DimNo	ETC Source4 19 Degree	750	L103	Second Circle		Front light	Col Frame
13	121	I.DimNo	ETC Source4 19 Degree	750	L103	Second Circle		Front light	Col Frame
14	122	I.DimNo	ETC Source4 19 Degree	750		Second Circle		Front light	Col Frame
15	123	I.DimNo	ETC Source4 19 Degree	750		Second Circle		Front light	Col Frame
16	124	I.DimNo	ETC Source4 19 Degree	750	L103	Second Circle		Front light	Col Frame
50	148	I.DimNo	Parcan 64	1000	L063	SL Boom	CP62	Door backlight	Col Frame
51	149	I.DimNo	Parcan 64	1000	L728	SL Boom	CP62	Door backlight	Col Frame
52	150	I.DimNo	Parcan 64	1000	L728	SL Boom	CP62	Door backlight	Col Frame
53	151	I.DimNo	Parcan 64	1000	L063	SL Boom	CP62	Door backlight	Col Frame
54	160	I.DimNo	Parcan 64	1000	L063	SR Boom	CP62	Door backlight	Col Frame
55	161	I.DimNo	Parcan 64	1000	L728	SR Boom	CP62	Door backlight	Col Frame
56	162	I.DimNo	Parcan 64	1000	L728	SR Boom	CP62	Door backlight	Col Frame
57	163	I.DimNo	Parcan 64	1000	L063	SR Boom	CP62	Door backlight	Col Frame
200	214	I.DimNo	ADB CH50 Fresnel	5000		Tracking SR	32Amp connection	Sun light	Tracking mount
100	HOT	2.001	LED Fluorescent Tube	x		Varies	16bit dimming module	Fluorescents	External PSU 16bit mode
101	HOT	2.003	LED Fluorescent Tube	x		Varies	16bit dimming module	Fluorescents	External PSU 16bit mode
102	HOT	2.005	LED Fluorescent Tube	x		Varies	16bit dimming module	Fluorescents	External PSU 16bit mode
103	HOT	2.007	LED Fluorescent Tube	x		Varies	16bit dimming module	Fluorescents	External PSU 16bit mode
104	HOT	2.009	LED Fluorescent Tube	x		Varies	16bit dimming module	Fluorescents	External PSU 16bit mode
105	HOT	2.011	LED Fluorescent Tube	x		Varies	16bit dimming module	Fluorescents	External PSU 16bit mode
106	HOT	2.013	LED Fluorescent Tube	x		Varies	16bit dimming module	Fluorescents	External PSU 16bit mode

Channel	Dimmer	Address	Instrument Type	Wattage	Color	Position	Notes	Purpose	Accessory
107	HOT	2.015	LED Fluorescent Tube	x		Varies	16bit dimming module	Fluorescents	External PSU 16bit mode
600	220	1.DimNo	House Lights	x				House Lights	
601	221	1.DimNo	House Lights	x				House Lights	
602	222	1.DimNo	House Lights	x				House Lights	
603	223	1.DimNo	House Lights	x				House Lights	
701	HOT	2.500	LeMaitre MVS Hazer	300		PS Flyfloor	DMX address resets...	Haze	
801	1.212	1.DimNo	Backstage Floods	1000	L071	Counterweight 26	Gel will burnout	B/Stage Light	
802	1.16	1.DimNo	Backstage Birdie	50	L071	Behind platform on flat		Treads Light	15amp choke