

## STRUCTURE EQUIPMENT USAGE

### ***Truss and Motors***

2	1/2 tonne Load Guard
2	1.5m Stingers or Beam Clamp or 2m Sling
1	Control Box + Cable
2	3m HV30 Prolyte
1	2m HV30 Prolyte
2	3m Steel Slings
8	3 1/4t Shackles

### ***Section Alpha***

4	1.5m Slings
4	1t Bow Shackles
4	Bottle Screws
4	1t D-Shackles
4	Scaf Carabiner Connections
12	Mesh Carabiner Connections
16	Barrel Clamps

### ***Section Bravo***

4	1.5m Slings
4	1t Bow Shackles
4	2m Double Ended Drifts
4	Bottle Screws
8	1t D-Shackles
4	Scaf Carabiner Connections
12	Mesh Carabiner Connections
16	Barrel Clamps

---

## PRODUCTION TECHNOLOGY MANAGEMENT

### **Section Charlie**

- 4 1.5m Slings
- 4 1t Bow Shackles
- 4 4m Double Ended Drifts
- 4 Bottle Screws
- 8 1t D-Shackles
- 4 Scaf Carabiner Connections
- 6 Mesh Carabiner Connections
- 8 Barrel Clamps

### **Spares**

- 4 1.5m Slings
- 8 1t Bow Shackles
- ∞ Selection of Small Drifts
- 4 Bottle Screws
- 8 1t D-Shackles
- 8 Carabiner
- 10 Red/Black Climbing Strops
- 5 Grey Climbing Strops
- 1 3m Steel Sling
- 8 3 1/4t Shackles

## EQUIPMENT TOTAL USAGE

### All Items of Equipment Used by the Technical Stage Department

2	1/2 tonne Load Guard
2	1.5m Stingers or Beam Clamp or 2m Sling
1	Control Box + Cable
2	3m HV30 Prolyte
1	2m HV30 Prolyte
3	3m Steel Slings
16	3 1/4t Shackles
16	1.5m Slings
20	1t Bow Shackles
16	Bottle Screws
20	1t D-Shackles
40	Carabiner
40	Barrel Clamps
4	2m Double Ended Drifts
4	4m Double Ended Drifts
∞	Selection of Small Drifts
10	Red/Black Climbing Strops
5	Grey Climbing Strops
1	3m Steel Sling